

INDEX MAPS.

T. 3 N. R. 9 E. 2nd Mer.

	404		404		404		405		405		405	
406	6	427	5	422	4	418	3	415	2	411	1	401
	427		427		422		418		415		411	
406	7	426	8	421	9	418	10	414	11	411	12	402
	426		426		421		417		414		410	
406	18	425	17	421	16	417	15	414	14	410	13	402
	425		425		420		417		413		410	
407	19	424	20	420	21	416	22	413	23	409	24	402
	424		424		420		416		413		409	
407	30	423	29	419	28	416	27	412	26	409	25	403
	423		423		419		416		412		408	
408	31	422	32	419	33	415	34	412	35	408	36	403
	399		399		399		399		399		400	
	401		401		401		400		400		400	

T. 4 N. R. 9 E. 2nd Mer.

	434	434	434	433	433	433	433	433	433	433	433	
			435	435	435	435	435	435	435	435	435	
437	6	439	5	453	4	449	3	445	2	441	1	433
	439		458		453		449		445		441	
437	7	458	8	452	9	448	10	445	11	441	12	432
	458		457		452		448		444		440	
437	18	457	17	452	16	448	15	444	14	440	13	432
	456		456		451		447		443		444	
436	19	456	20	457	21	447	22	443	23	439	24	432
	455		455		451		447		443		439	
436	30	455	29	450	28	446	27	442	26	439	25	431
	454		454		450		446		442		438	
436	31	454	32	450	33	446	34	442	35	438	36	431
	429		429		429		430		430		430	

The figures on the lines refer to the page.

Township N. 4 North, Range N. 9 East 2. Mer Indiana

429

South Boundary. var. 5.50. E

East On S. boundary of Sec. 31, T4N. R29E,
10.80 a W. Oak 30 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 50 in. dia. bear East 16 1/2 in. dist. of
a Beech 16 " " " N 80 W 30 " "

62.40 a Beech 8 " "

77.20 a W. Oak 16 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 7 in. dia. bear S 74 E 13 1/2 in. dist. of
a W. Oak 40 " " " N 30 W 28 " "

First 1/2 mile rich level land, timber Oak, Beech,
Poplar &c. last 1/2 mile poor land small Beech
White Oaks. August 28th, 1886.

East On S. boundary of Sec. 32

22.00 a W. Oak 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bear S 60 E 9 1/2 in. dist. of
a do. 30 " " " S 83 W 44 " "

46.00 a Creek 6 1/2 in. wide Course N.

51.50 a Beech 12 in. dia.

71.90 an Ash 36 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 14 in. dia. bear West 26 1/2 in. dist. of
a do. 18 " " " S 34 E 31 " "

First 1/2 mile middling quality - last 1/2 first rate
land timber, Beech, Sugar, Walnut, Ash &c

East On S. boundary of Sec. 33

20.25 a Beech 16 in. dia.

24.00 a Brook 3 1/2 in. wide Course S.

40.00 Set of Sec. post, from which
a W. Oak 50 in. dia. bear North 16 1/2 in. dist. of
a Beech 16 " " " S 35 E 18 " "

63.40 a Gum 16 " "

T4N R9E. 2ⁿ. Mer. Indianach² lth.

80.00 Set post Cor. to Sec. 33 & 34, from which
 a Gum 6 mi. dist. bearing N 30° W 31 lth. dist. of
 a W. Oak 30 " " " N 52° E 39 " "
 Level good soil timber Oak, Beech, Gum &c.

East On S. boundary of Sec. 34

28.00 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which
 a Beech 15 mi. dist. bearing N 78° W 28 lth. dist. of
 a Gum 20 " " " N 58° E 27 " "

64.50 a Beech 15 " "

77.00 a Brook 3 lth. wide Course S.

80.00 Set post Cor. to Sec. 34 & 35, from which
 a W. Oak 12 mi. dist. bearing N 85° W 30 lth. dist. of
 a Beech 16 " " " N 59° E 13 " "
 Level land, timber Beech, Oak &c.

East On S. boundary of Sec. 35

13.50 a Brook 3 lth. wide Course S.

17.50 a Poplar 28 mi. dist.

40.00 Set of Sec. post, from which
 a Poplar 16 mi. dist. bearing N 64° W 11 lth. dist. of
 a Beech 12 " " " N 85° E 31 " "

60.00 a W. Oak 60 " "

65.00 a Creek 40 lth. wide Course S.

80.00 Set post Cor. to Sec. 35 & 36, from which
 a Beech 12 mi. dist. bearing N 79° W 27 lth. dist. of
 a Do. 12 " " " N 66° E 38 " "
 Level good land, timber Oak, Beech &c.

East On S. boundary of Sec. 36

16.00 a Brook 4 lth. wide Course S.

18.60 a W. Oak 30 mi. dist.

38.50 a Brook 6 lth. wide Course S.

40.00 Set of Sec. post, from which
 a Beech 14 mi. dist. bearing N 39° E 24 lth. dist. of

431
T4 N R 9 E. 2^d. Mer. Indiana
ch. l. lky

a Hickory 14 in. dia. bray N46°W 32 lky. dist.
55.00 a Brook 15 lky wide Course S.W.
65.50 a Cherry 12 in. dia.
80.00 Set post Cor. to Township 3 & 4 North, of Range
9 & 10 East, from which
a R. Oak 8 in. dia. bray S89°W 10 lky. dist. of
a Do. 9 " " " N39°W 35 "
Level rich land, timber Beech, Oak, Poplar &c.

East Boundary. var. 5° 50' E.
North On E. boundary of Sec. 36
16.50 a Brook 6 lky. wide Course S.W.
18.00 a Do. 3 " " " S.W.
26.60 a Beech 12 in. dia.
40.00 Set of Sec. post, from which
a R. Oak 30 in. dia. bray South 3 lky. dist. of
a Dogwood 6 " " " N22°W 17 "
67.30 a W. Oak 16 " " "
80.00 Set post Cor. to Sec. 25 & 36, from which
a Hickory 10 in. dia. bray N63°W 8 lky. dist. of
a R. Oak 24 " " " N78°E 28 "
First 1/2 mile level good land last 1/2 level with
timber Oak, Beech, Poplar & Gum

North On E. boundary of Sec. 25
16.00 a Brook 3 lky wide Course W.
20.25 a Maple 12 in. dia.
40.00 Set of Sec. post, from which
a R. Oak 36 in. dia. bray N39°W 28 lky. dist. of
a Maple 12 " " " N87°E 18 "
67.00 a Maple 14 " " "
80.00 Set post Cor. to Sec. 24 & 25, from which
a W. Oak 16 in. dia. bray N34°E 22 lky. dist. of
a Gum 16 " " " N12°W 26 "
Level wet land, timber Maple Gum &c.

Lt. N. T. G. E. 2nd Mer. Indiana

ch. 1/4

North On E. boundary of Sec. 24,

12.00 on Elm 24 m. dist.

12.50 a Brook 8 lks. wide Course W.

40.00 Set q. Sec. post, from which

a Beech 12 m. dist. bear N 17 E 6 lks. dist. of

a do. 14 " " " S 5 E 31 " "

52.00 a Brook 4 lks. wide Course W.

64.40 a Gum 16 m. dist.

77.50 a Brook 10 lks. wide Course S. W.

80.00 Set post Cor. to Sec. 13 of 24, from which

a Beech 24 m. dist. bear N 83 E 15 lks. dist. of

a do. 18 " " " West 46 " "

Good level land, timber Beech, Poplar, Oak &c.

North On E. boundary of Sec. 13

23.30 a Beech 30 m. dist.

40.00 Set q. Sec. post, from which

a Maple 12 m. dist. bear S 23 E 40 lks. dist. of

a W. Oak 30 " " " N 65 W 47 " "

63.25 a W. Oak 16 " "

80.00 Set post Cor. to Sec. 12 of 13, from which

a Beech 9 m. dist. bear N 26 E 18 lks. dist. of

a Poplar 36 " " " S 77 W 26 " "

Level good land, timber Oak, Beech & Poplar

North On E. boundary of Sec. 12

6.00 a Brook 10 lks. wide Course W.

9.00 a Creek 50 " " " S. W.

27.40 a Poplar 36 m. dist.

40.00 Set q. Sec. post, from which

a Beech 14 m. dist. bear N 88 W 10 lks. dist. of

a do. 12 " " " N 72 E 21 " "

80.00 Set post Cor. to Sec. 1 of 12, from which

a Beech 14 m. dist. bear N 33 W 3 lks. dist. of

a do. 10 " " " N 72 E 22 " "

Flat land, timber Beech & Maple

T⁵ N R9 E 2nd Mer. IndianaChth

North On E. boundary of Sec. 1

17.60 a Maple 36 in. dia.

40.00 Let q^r. Sec. post, from whicha W. Oak 36 in. dia. bear N13th W 24th dist. 6a do. 36 " " " S25th W 43 " "43.00 a Brook 3th. wide Course N.E.

49.00 a do. 10 " " " N.W.

57.00 a do. 4 " " " S.W.

79.00 Intersected Rand^m. line 25th. W. of temp^y. post

80.00 Let post Cor. to Township 4 & 5 North, Ranges

9 & 10 East, from which

a Beech 16 in. dia. bear N20th E 38th dist. 6a do. 16 " " " S75th W 28 " "

Level wet land, timber Beech, Maple, Oak &c.

North Boundary

West On Rand^m. S. boundary of Sec. 36, T⁵ N. R9 E.40.00 Let temp^y. q^r. Sec. post46.00 a Brook 5th. wide Course S.

51.00 a Creek 40 " " " N.W. kept down

61.00 a Brook — " " " S.W.

71.00 a do. — " " " N.W.

80.00 Let temp^y. Cor. to Sec. 35 & 36

Level Beech land

West On Rand^m. S. boundary of Sec. 35, T⁵ N. R9 E.40.00 Let temp^y. q^r. Sec. post80.00 Let temp^y. Cor. to Sec. 34 & 35

Generally Good land, timber Oak, Ash &c.

West On Rand^m. S. boundary of Sec. 34, T⁵ N. R9 E.7.00 a Creek 50th. wide Course S.W.40.00 Let temp^y. q^r. Sec. post42.00 a Brook 3th. wide Course S.

63.00 a do 3 " " " S.W.

75.00 a do. 3 " " " S.

434

T4N R9E. 2^d. Mer. Indiana

ch. 2. 16th

80.00 Let temp. Cor. to Sec. 33 & 34

Level land rich soil, Sugar, Ash, Beech, Poplar

West On Land 8^m. S. boundary of Sec. 33, T5N. R9E.

14.00 at Brook 3¹/₂ m. wide Course S.

40.00 Let temp. q. Sec. post

54.00 at Creek 10¹/₂ m. wide Course S. E.

80.00 Let temp. Cor. to Sec. 32 & 33

Generally rich land timber Sugar, Beech, Poplar

West On Land 8^m. S. boundary of Sec. 32, T5N. R9E

40.00 Let temp. q. Sec. post

68.00 at Brook 4¹/₂ m. wide Course N. W.

80.00 Let temp. Cor. to Sec. 31 & 32

Level Beech land

West On Land 8^m. S. boundary of Sec. 31, T5N. R9E.

10.00 at Brook 10¹/₂ m. wide Course S. W.

40.00 Let temp. q. Sec. post

79.50 Intersected the St. J. R. line 23¹/₂ m. S. of the
Corner. of Township 4 & 5 N. Range 8 & 9 E
Level Beech land.

var. 5.50¹/₂. True Line. Sept. 10th 1806

East On S. boundary of Sec. 31, T5N. R9E

* 39.75 Let q. Sec. post, from which

a Hickory 12 in. dia. bear West 2¹/₂ m. dist. &

a Do. 12 " " " N 66 E 32 " "

* This post, should, by law, be placed at 40.00
from the S. E. Cor. of Sec. 31 (S. M.)

79.50 Let post Cor. to Sec. 31 & 32, from which

a Beech 18 in. dia. bear N 63 E 27¹/₂ m. dist. &

a Do. 6 " " " S 19 N 16 " "

East On S. boundary of Sec. 32, T5N. R9E.

40.00 Let q. Sec. post, from which

435

T4 N. R9 E. 2^d. Mer. Indiana

ch. 1st 1/2 mi.

a Beech 12 in. dia. bray N 56 E 14 lns. dist. of
 a do. 18 " " " S 56 W 28 "
 80.00 Set post Cor. to Sec. 32 & 33, from which
 a Beech 10 in. dia. bray N 30 E 15 lns. dist. of
 a do. 10 " " " S 27 W 22 " "

East On S. boundary of Sec. 33, T5 N. R9 E.

40.00 Set q. Sec. post, from which
 a Sugar 12 in. dia. bray N 30 E 35 lns. dist. of
 a Poplar 24 " " " S 20 W 54 "
 80.00 Set post Cor. to Sec. 33 & 34, from which
 a Beech 12 in. dia. bray N 45 E 3 lns. dist. of
 a Beech 24 " " " S 45 W 38 " "

East On S. boundary of Sec. 34, T5 N. R9 E.

40.00 Set q. Sec. ^{post} from which
 a Beech 30 in. dia. bray S 38 W 12 lns. dist. of
 a do. 24 " " " N 50 W 40 " "
 80.00 Set post Cor. to Sec. 34 & 35, from which
 a Beech 12 in. dia. bray N 37 E 4 lns. dist. of
 a Walnut 24 " " " S 26 W 28 " "

East On S. boundary of Sec. 35, T5 N. R9 E.

40.00 Set q. Sec. post, from which
 a P. Oak 24 in. dia. bray N 75 E 5 lns. dist. of
 a Beech 12 " " " S 3 E 11 " "
 80.00 Set post Cor. to Sec. 35 & 36, from which
 a Beech 18 in. dia. bray S 39 E 5 lns. dist. of
 a Sugar 24 " " " N 71 W 19 " "

East On S. boundary of Sec. 36, T5 N. R9 E.

40.00 Set q. Sec. post, from which
 a Gum 14 in. dia. bray N 43 E 20 lns. dist. of
 a Beech 24 " " " South 24 " "
 80.00 to Township Corner.

436

4th N. R9 E. 2nd Mer. Indiana

ch. 1/2
 West Boundary var. 5. 50. E.
 North On E. boundary of Sec. 36, 4th N. R8 E
 16.50 a Poplar 12 in. dia.
 40.00 Set gr. Sec. post, from which
 a B. Oak 24 in. dia. bray S 88 E 22 km. dist. of
 a do. 24 " " " N 8 W 24 " "
 54.50 a W. Oak 36 " "
 77.00 a Brook 4 km. wide Course N E.
 80.00 Set post Cor. to Sec. 25 & 36, from which
 a Beech 12 in. dia. bray S 63 E 16 km. dist. of
 a do. 12 " " " N 78 W 19 " "
 First 1/2 mile good land - last 1/2 poor &
 bushy Oak land.

North On E. boundary of Sec. 25, 4th N. R8 E.
 12.00 a Brook 3 km. wide Course E.
 18.00 a Gum 14 in. dia.
 32.00 a Beech 9 " "
 40.00 Set gr. Sec. post, from which
 a Poplar 12 in. dia. bray S 33 E 17 km. dist. of
 a W. Oak 15 " " " N 81 W 23 km. "
 47.00 a Brook 3 km. wide Course E.
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a W. Oak 12 in. dia. bray S 43 E 25 km. dist. of
 an Ash 6 " " " N 28 W 10 " "
 First 1/2 mile poor uneven land - last 1/2 mile
 level rich land, timber Oak, Elm & Ash

North On E. boundary of Sec. 24, 4th N. R8 E.
 10.00 a Creek 75 km. wide Course N. Rapid
 30.00 a do. 75 " " " E. "
 40.00 Set gr. Sec. post, from which
 a Beech 18 in. dia. bray S 58 W 13 km. dist. of
 a Sugar 6 " " " N 48 E 18 " "
 48.00 a Creek 75 km. wide Course N. Rapid
 60.00 Same 75 " " " E. "

437

St. N. R. & E. 2nd Mer. Indiana

ch. lth

71.00 a Creek 75 lth. wide Course N. Rapid
80.00 Set post Cor. to Sec. 13 of 24, from which
a Beech 18 mi. diam. bray S 21 E 20 lth. dist. of
a do. 13 " " " N 51 E 19 " "
First 1/2 mile rich land, Sugar, Beech, Elm
Last 1/2 do. steep rocky hill Beech, Sugar &c

North On E. boundary of Sec. 13, T4 N. R8 E.

8.00 a Creek 200 lth. wide Course N.
22.20 a Lynn 15 mi. diam.
40.00 Set q. Sec. post, from which
a Beech 12 mi. diam. bray S 22 E 13 lth. dist. of
a do. 9 " " " N 16 E 30 " "
48.00 a Brook 3 lth. wide Course S.
53.80 a Beech 30 mi. diam.
80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 9 mi. diam. bray S 6 N 9 lth. dist. of
a do. 7 " " " N 6 E 43 " "
Hilly rich land, timber Beech, Sugar &c.

North On E. boundary of Sec. 12, T4 N. R8 E.

16.70 a Beech 18 mi. diam.
23.00 a Brook 3 lth. wide Course N.
40.00 Set q. Sec. post, from which
a Beech 12 mi. diam. bray S 8 E 13 lth. dist. of
a do. 8 " " " N 89 W 22 " "
51.50 a Brook 3 lth. wide Course N.
75.50 a do 15 " " " W. kept up it
80.00 Set post in the Brook Cor. to Sec. 12 of 12, from which
a Beech 8 mi. diam. bray N 82 W 39 lth. dist. of
a Sycamore 40 " " " N 89 E 48 " "
First 1/2 mile flat wet land - last 1/2 mile hilly
poor land timber Beech, Dogwood &c.

North On E. boundary of Sec. 1, T4 N. R8 E.

0.50 leave the brook to the East

T. N. R. & E. 2nd Mer. Indiana

ch. l. m.

30.00 an Ash 16 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bray S 4 W 15 l. m. dist. of
a do. 18 " " " N 44 E 25 " "

45.50 a Brook 4 l. m. wide Course S.

50.00 a Beech 24 in. dia.

70.00 a W. Oak 30 " "

80.00 Set post Cor. to Township 4 & 5 North, Range
8 & 9 East, from which
a Beech 12 in. dia. bray N 37 W 7 l. m. dist. of
a do. 6 " " " S 49 E 10 " "
Land level timber Beech, Oak &c.August 27th 1876.

Surveyed By

Alexander Holmes,

Deputy Surveyor

Subdivision. Oct. 22nd 1876

North Between Secs. 35 & 36.

22.94 a Beech 8 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bray S 51 W 15 l. m. dist. of
a do. 10 " " " N 62 1/2 E 36 " "

63.53 a Beech 15 " "

70.21 a stream 10 l. m. wide Course N. E. S. W. it is now nearly dry

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a W. Oak 10 in. dia. bray S 77 W 24 l. m. dist. of
a W. Ash 10 " " " N 35 E 9 " "
Over level 2nd rate land, timber Beech, Poplar
Alder &c. (Middleling farming land)

East On Range between Secs. 25 & 36

2.07 a stream 10 l. m. wide Course S.

79.91 Intersected E. boundary 11 l. m. N. of post
Over level 3rd rate, the principal timber is
Oak & Alder, and g^{ts}. Dogwood, Huckleberry &c.

T4N - R9E. 2^d Mer. Indiana

439

ch. l. l.

West Corrected between Sec. 25 & 26

- 39.97 Let q. Sec. post at average dist. from which
 a P. Gum 10 in. dia. bray N 58 W 36 in. dist. of
 a Hickory 9 " " " S 53 E 8 " "
 79.91 to Sec. Corner.

North Between Sec. 25 & 26

- 27.04 a W. Oak 15 in. dia.
 40.00 Let q. Sec. post, from which
 a Beech 12 in. dia. bray N 24 1/2 E 14 in. dist. of
 a do. 13 " " " S 40 W 43 " "
 71.73 a W. Oak 11 " "
 80.00 Let post cor. to Sec. 23, 24, 25 & 26, from which
 a Maple 11 in. dia. bray N 11 E 10 in. dist. of
 a do. 9 " " " S 59 W 12 " "
 Over level 2^d rate land post in the Spring
 timber Oak, Beech, P. Gum, Maple, Hickory
 Poplar &c. Not very good farming land

East On Rand. between Sec. 24 & 25

- 40.00 Let temp. q. Sec. post
 80.40 Intersected E. boundary 122 lks. N. of post
 Over level 2^d rate land, timber same (middling
 farming land.

West Corrected between Sec. 24 & 25

- 40.20 Let q. Sec. post at average dist. from which
 a W. Oak 24 in. dia. bray N 15 W 16 in. dist. of
 a Beech 10 " " " S 46 E 24 " "
 80.40 to Sec. Corner.

North Between Sec. 23 & 24

- 19.96 a Maple 10 in. dia.
 40.00 Let q. Sec. post, from which
 a P. Gum 16 in. dia. bray N 55 E 16 in. dist. of
 a W. Oak 14 " " " S 27 1/2 W 22 " "

440

L. N. R. G. D. Mer. Indiana

ch. l. h.

47.88 a Stream 10 l. h. wide Course - C. - now dry

62.27 a Beech 17 in. dia.

80.00 Let post Cor. to Sec. 13, 14, 23 & 24, in a Creek
50 l. h. wide C. S. W. now dry, from which
a Beech 15 in. dia. bear N 82 E 30 l. h. dist. of
a Do. 17 " " " N 62 W 22 " "
Open level 2^d rate land, timber Oak, Beech,
Aichory, Poplar, underg^d Beech & Dogwood &c.
Middling farming land.

East On Land m. between Sec. 13 & 24

40.00 Let temp. of Sec. post

80.70 Intersected the N of S line 109 l. h. N. of post
Land, timber &c. same, underg^d Spruce

West Corrected between Sec. 13 & 24

40.35 Let of Sec. post at average dist. from which
a Beech 11 in. dia. bear N 60 E 12 l. h. dist. of
a S. Gum 18 " " " N 26 W 26 " "

80.70 to Sec. Corner. Oct. 23^d 1806

North Between Sec. 13 & 14

22.55 a Beech 12 in. dia.

40.00 Let of Sec. post, from which
a Poplar 18 in. dia. bear N 83 1/2 W 30 l. h. dist. of
a Beech 10 " " " N 66 E 6 " "

68.54 a Beech 15 " "

80.00 Let post Cor. to Sec. 11, 12, 13 & 14, from which
a W. Oak 15 in. dia. bear N 78 W 25 l. h. dist. of
a W. Oak 24 " " " N 59 E 25 "
Open level 2^d rate land, timber Beech, W. Gum
Aichory, Poplar &c. underg^d Spruce & some green
birch, good for farming

East On Land m. between Sec. 12 & 13

40.00 Let temp. of Sec. post.

441

T^h N R 9 E. 2^d Mer. Indiana

ch. l. by

- 77.00 a creek 50 lms. wide Course S.
 81.22 Intersected E. boundary 150 lms. N. of post.
 Land rather rolling 2^d rate, timber the same
 good farming land
-

- West Corrected between Sec. 12 of 13
 40.61 Set of Sec. post at average dist. from which
 a Beech 4 mi. dist. by N 89° W 11 lms. dist. of
 a do. 18 " " " N 65° E 10 " "
 81.22 to Sec. Corner
-

- North Between Sec. 11 of 12
 28.91 a Beech 18 mi. dist.
 40.00 Set of Sec. post, from which
 a Beech 12 mi. dist. by N 58° E 26 lms. dist. of
 a W. Oak 30 " " " N 76 1/2° W 21 " "
 67.22 a Sugar 18 " "
 80.00 Set post Cor. to Sec. 1, 2, 11 1/2 from which
 a Beech 15 mi. dist. by N 88° W 36 lms. dist. of
 a do. 18 " " " N 40° E 29 " "
 Level 2^d rate, timber same good farming land
 underg^d. Dogwood, Birch, Spruce &c.
-

- East On Rand^m. between Sec. 1 of 12
 40.00 Set temp^y. of Sec. post
 82.00 Intersected E. boundary 227 lms. N. of post
 Land timber &c. same as on the last mile
-

- West Corrected between Sec. 1 of 12
 41.00 Set of Sec. post, at average dist. from which
 a Poplar 36 mi. dist. by N 58° W 9 lms. dist. of
 a Beech 15 " " " N 84° E 37 " "
 82.00 to Sec. Corner.
-

- North Between Sec. 1 of 2 var. 5.25' E.
 20.45 a Beech 18 mi. dist.

442

Lat R9E. 2^d. Mer. Indiana

ch^d. 1/4
40.00 Set of Sec. post, from which
a Log 10 in. dia. bray N75 E 35 lks. dist. of
a Beech 15 " " " N62 1/2 W 24 " "
58.27 a Beech 18 " "
76.15 Intersected N. boundary 224 lks N. of post
Set post Cor. to Sec. 1 of 2, from which
a Beech 12 in. dia. bray N61 E 20 lks. dist. of
a do. 12 " " " N51 1/2 W 22 " "
Land timber &c. same as on last mile

Friday Oct. 24th. 1806. Variation 6.10'E.
North Between Secs. 34 of 35
21.21 a W. Oak 12 in. dia.
40.00 Set of Sec. post, from which
a W. Oak 15 in. dia. bray N25 E 30 lks. dist. of
a do. 15 " " " N63 1/2 W 15 " "
68.63 a Hickory 5 " "
80.00 Set post Cor. to Secs. 26, 27, 34 of 35, from which
a Poplar 18 in. dia. bray N86 1/2 E 12 lks. dist. of
a Beech 18 " " " N49 W 36 " "
Over level 2^d. rate land, timber Oak, Beech,
Cum, Hickory &c. undag^d. Logwood, &c.

East On Land^m. between Secs. 26 of 35, var. 5.25'E.
40.00 Set temp^y. of Sec. post
78.68 Intersected the N of S. line 50 lks. S. of post
Land timber &c. same as on last mile

West Connected between Secs. 26 of 35
39.34 Set of Sec. post at average dist. from which
a S. Gum 11 in. dia. bray N12 E 14 lks. dist. of
a Beech 8 " " " N82 E 9 " "
78.68 to Sec. corner.

North Between Secs. 26 of 27, var. 6.20'E.
22.53 a Beech 11 in. dia.

T^hN R9E. 2^d Mer. Indiana

443

Ch^l. 1/4

40.00 Let q^r. Sec. post, from which
a W. Oak 10 in. dia. bray N49W 2 1/2 km. dist. of
a B. Gum 12 " " " N49W 30 " "

76.37 a Beech 12 " "

80.00 Let post Cor. to Sect. 22, 23, 26 & 27, from which
a Poplar 30 in. dia. bray S83E 20 km. dist. of
a Do. 18 " " " N64W 31 " "
Sand timber &c. same as on the last mile

East On Rand^m. between Sect. 23 & 26 - var. 5° 25' E.

40.00 Let temp^y. q^r. Sec. post

78.59 intersected the N of S. line 52 km. S. of post
Sand timber &c. same as on the last mile

West Corrected between Sect. 23 & 26

39.29 Let q^r. Sec. post at average dist. from which
a W. Oak 24 in. dia. bray S54W 2 1/2 km. dist. of
a Beech 4 " " " N43E 15 " "

78.59 to Sec. Corner

North Between Sect. 22 & 23. var 6° 10' E.

13.73 a Creek 15 km. wide Cr^l. S. W. which is now dry

28.90 a Beech 24 in. dia.

40.00 Let q^r. Sec. post, from which

a Beech 8 in. dia. bray N56 1/2 E 6 km. dist. of

a Do. 12 " " " N81W 26 " "

58.06 a Beech 18 " "

80.00 Let post Cor. to Sect. 14, 15, 22 & 23, from which

a Beech 12 in. dia. bray N44E 11 km. dist. of

a W. Oak 24 " " " S50W 20 " "

Over rolling 2^d rate land, timber same good, far-
ming land, thick undergrowth of Beech, dogwood
spruce &c.

East On Rand^m. between Sect. 14 & 23, var 5° 25' E.

40.00 Let temp^y. q^r. Sec. post

1444

4 N 129 E. 2^d Mer. Indiana

ck. 11th
79.00 Intersected the N of S. line 80th S. of post
Land 2^d rate rather Broken, timber same
good farming land. Oct. 25th 1806

West Corrected between Sec. 14 & 23

39.50 Set q^r. Sec. post at average dist. from which
a Beech 10 in. dist. from N 30th E 81th S. dist. of
a do 20 " " " 129th W 39 " "

79.00 to Sec. Corner.

North Between Sec. 14 & 15 var. 6th 10th E.

7.50 a Creek 50th S. wide Cr. W. which is now dry

22.07 a Maple 12 in. dist.

40.00 Set q^r. Sec. post, from which
a Beech 24 in. dist. from S 88th E 27th S. dist. of
a do. 15 " " " 183th W 18 " "

60.76 a Beech 18 " "

65.30 a Creek 15th S. wide Course S. (now dry)

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 8 in. dist. from N 2th E 9th S. dist. of
an Elm 10 " " " 124th E 19 " "

Over rolling land, timber Beech, Poplar,
Sugar, Oak, Ash, &c. thick underg^t. of Spruce
Beech, Dogwood &c. good farming land

East On Rand^m. between Sec. 11 & 14

27.67 a dry branch 15th S. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

78.25 Intersected the N of S. line 16th S. of post
Land level 2^d rate, timber same

West Corrected between Sec. 11 & 14

39.12 Set q^r. Sec. post at average dist. from which
a P. Gum 13 in. dist. from N 71th E 15th S. dist. of
a Beech 12 " " " 141th W 10 " "

78.25 to Sec. Corner.

Lt N R 9 E. 2^d Mer. Indiana

445

ch. 2nd 1/4

North Between Sec. 1, 10 & 11

20.87 a W. ash 15 in. dia.

40.00 Set q^r. Sec. post, from which

a Beech 5 in. dia. bray N 66 E 14 1/2 in. dist. of

a do. 13 " " " N 44 W 24 " "

66.53 a Beech 24 " "

72.00 a Creek 30 in. wide E & W, which is nearly dry

80.00 Set post Cor. to Sec. 1, 2, 3, 10 & 11, from which

an Elm 16 in. dia. bray S 41 W 20 in. dist. of

a Beech 24 " " " N 34 E 20 " "

Land rolling 2^d rate, timber same thick
underg^d. good farming land

East On Rand. between Sec. 1, 2 & 11

40.00 Set temp^y. q^r. Sec. post

55.00 a dry run 10 in. wide Course S. W.

78.30 Intersected the N & S. line 2 links N. of post

Land timber &c. same as on the last mile

West Corrected between Sec. 1, 2 & 11

39.15 Set q^r. Sec. post at average dist. from which

a Beech 12 in. dia. bray N 58 1/2 E 22 in. dist. of

a do. 20 " " " N 60 1/2 W 20 " "

78.30 to Sec. Corner

North Between Sec. 1, 2 & 3

12.00 a dry run 10 in. wide Cr. West

20.09 a Beech 25 in. dia.

40.00 Set q^r. Sec. post, from which

a Beech 30 in. dia. bray N 73 E 25 in. dist. of

a do. 10 " " " South 30 " "

76.67 Intersected the N. boundary 152 in. W. of post

Set post Cor. to Sec. 1, 2 & 3, from which

a Spruce 24 in. dia. bray S 54 E 32 in. dist. of

a Beech 10 " " " N 62 W 20 " "

Over rolling 2^d rate land, timber same as last.

446

Sept N 9 E. 2^d. Mer. Indiana
ch. l. l. l.

October 26th. 1806.

North Between Sect. 33 & 34

19.47 at Beech 15 mi. dist.

30.00 a dry run 15 l. m. wide Course S. W.

40.00 Let q. Sec. post, from which
a Beech 12 mi. dist. bray N 88 E 10 l. m. dist. of
a Do. 15 " " " N 13 W 12 " "

53.72 a dry run 12 l. m. wide Course S. W.

66.00 a Hickory 8 mi. dist.

80.00 Let post Cor. to Sect. 27, 28, 33 & 34, from which
a Beech 13 mi. dist. bray N 54 E 28 l. m. dist. of
a W. Oak 18 " " " 16 W 20 " "

Land level 2^d. rate, timber Oak, Beech,
Poplar, Ash, Gum & some Sugar & some Spice

East On Rand. between Sect. 27 & 34

40.00 Let temp. q. Sec. post

46.65 a run 10 l. m. wide Course S. W.

80.52 Intersected the N of S. line 40 l. m. S. of post
Land timber &c. same as on the last mile

West Connected between Sect. 27 & 34

40.26 Let q. Sec. post at average dist. from which
a Beech 15 mi. dist. bray N 43 W 14 l. m. dist. of
a Do. 12 " " " 144 E 28 " "

80.52 to Sec. Corner.

North Between Sect. 27 & 28

16.42 a Creek 20 l. m. wide C. S. W. nearly dry

23.00 a Poplar 18 mi. dist.

40.00 Let q. Sec. post, from which

a Beech 12 mi. dist. bray N 52 W 16 l. m. dist. of
a Do. 12 " " " 159 E 29 " "

67.66 a Creek 50 l. m. wide C. S. W. which is nearly dry

78.17 a Beech 15 mi. dist.

80.00 Let post Cor. to Sect. 21, 22, 27 & 28, from which

447

T4 N R9 E. 2^d. Mer. Indiana

ch. P. 1st m.

a D. Gum 16 m. dist. by N 85° W 6th m. dist. of
a Beech 24 " " " N 43 1/2° E 38 " "
Over rolling 2nd rate land, timber same, thick
undergth of Spice & Dogwood

East On Rand^m. between Sec. 22 & 27

40.00 Set temp^y. of Sec. post

55.00 a Creek 15th m. wide Course S. W. which is now dry

80.90 Intersected the N & S. line 11th m. N. of post
Land timber &c. same as on the last mile

West Connected between Sec. 22 & 27

40.45 Set of Sec. post at average dist. from which
a Beech 15 m. dist. by N 38° W 8th m. dist. of
a Do. 21 " " " N 28° W 33 " "

80.90 To Sec. Corner

North Between Sec. 21 & 22

25.50 a dry run 15th m. wide Cr. S. W.

32.87 a Beech 10 m. dist.

40.00 Set of Sec. post, from which

a Hickory 24 m. dist. by N 42° W 20th m. dist. of
a Do. 24 " " " N 57 1/2° E 40 " "

62.36 a Beech 13 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which

a Beech 20 m. dist. by N 43° E 4th m. dist. of

a Do. 24 " " " S 86° W 37 " "

Rolling good 2nd rate, timber same.

East On Rand^m. between Sec. 15 & 22

31.65 a Creek 50th m. wide Course N. W.

40.00 Set temp^y. of Sec. post

48.18 a Creek 50th m. wide Course S. W.

80.78 Intersected the N. & S. line at the post

Land and timber the same

448

Lot R96, 2nd Mer. Indiana

Ch. lks

West Connected between Sec. 15 & 22

40.39 Set q. Sec. post, at average dist. from which
a Beech 12 in dia. bears S 28 1/2° W 16 lks. dist. &
a Do. 12 " " " N 82° E 10 " "

80.78 to Section Corner Oct. 27th 1806

North Between Sec. 15 & 16.

14.69 a Creek 50 lks. wide Course S. W.

18.91 a W. Ash 18 in. dia.

40.00 Set q. Sec. post, from which
a Lynn 15 in. dia. bears S 34 1/2° E 13 lks. dist. &
a Beech 11 " " " N 1 1/2° E 25 " "

55.70 a dry Creek 50 lks. wide Course N. W.

59.70 a Beech 7 in. dia.

64.65 a dry Creek 50 lks. wide Course W.

80.00 Set post Corner to Sec. 9, 10, 15 & 16, from which
a Beech 8 in. dia. bears N 16° E 11 lks. dist. &
a Do. 10 " " " S 42 1/2° W 32 " "

Over rolling Land good 2nd rate timber same
thick Spice undergrowth good farming Land,

East On Prandon between Sec. 10 & 15

40.00 Set temp. q. Sec. post

81.50 Intersected the N. & S. line 16 lks. N. of post.

Over level Land 2nd rate timber same

West Connected between Sec. 10 & 15

40.75 Set q. Sec. post, at average dist. from which
a Beech 14 in. dia. bears N 20° E 12 lks. dist. &
a Do. 12 " " " S 86 1/2° W 10 " "

81.50 to Section Corner

North Between Sec. 9 & 10

30.30 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 16° W 16 lks. dist. &

Let R 9 E. 2nd Mer. Indiana

449

ch. 1st 1/4

- a Beech 12 in. dia. bears N 59 E 18 lbs. dist.
52.50 a dry Creek 30 lbs. wide Course W.
60.63 a Creek 70 " " " W. which is nearly dry
76.75 a Beech 20 in. dia.
80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
an Elm 13 in. dia. bears S 40 W 16 lbs. dist. &
a Sugar 10 " " " N 53 1/2 E 10 " "
Over good rolling 2nd rate Land the principal
timber Beech & Sugar. Undergrowth Spice good
farming Land
-

East On Prandom between Sect. 3 & 10

- 27.51 a Creek 70 lbs. wide Course S. W. it is nearly dry
40.00 Set temp. q. Sec. post
50.70 a dry Creek 50 lbs. wide Course N. W.
61.32 Intersected the N. & S. line 14 lbs. N. of post
Land & timber the same the first half mile
is rather broken
-

West Corrected between Sect. 3 & 10.

- 40.66 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 82 1/2 W 20 lbs. dist. &
a No. 24 " " " S 58 E 24 " "
81.32 to Section Corner
-

North Between Sect. 3 & 4

- 28.68 a Beech 13 in. dia.
40.00 Set q. Sec. post, from which
a Beech 22 in. dia. bears N 72 W 21 lbs. dist. &
a No. 12 " " " S 45 E 15 " "
64.35 a No. 15 " "
76.65 Intersected the N. boundary 257 lbs. W. of post
Set post Cor. to Sect. 3 & 4, from which
a Beech 12 in. dia. bears S 87 E 27 lbs. dist. &
a No. 24 " " " N 87 1/2 W 17 " "
Land timber the same as last mile

450

T. N. R. G. 2^d. Mer. Indiana

Ch. 16₄

North Between Sect. 32 & 33

19.59 a Beech 13 in. dia.

25.85 a Small Stream of water 2 lks. wide which proceeds from
a Spring Course N. W.

40.00 Set of Sec. post, from which
a W. Ash 30 in. dia. bears S 27 W 10 lks. dist. &
a Sugar 15 " " " N 57 E 36 " "

44.50 a Do. 12 " "

75.70 a Creek 30 lks. wide Course N. W. most dry

80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
a Beech 7 in. dia. bears N 81 E 5 lks. dist. &
a Sugar 18 " " " N 63 1/2 W 36 " "

Over rolling good Land 2^d. rate timber Beech Oak
Sugar Poplar Ash Gum &c. undergrowth
Spice Dogwood good farming Land

East On Brandon between Sect. 28 & 33

40.00 Set temp. of Sec. post

80.20 Intersected the N. & S. line 65 lks. S. of post
Land and timber the same

West Connected between Sect. 28 & 33

40.10 Set of Sec. post, at average dist. from which
a Beech 10 in. dia. bears South 21 lks. dist. &
a No. 9 " " " N 43 1/2 W 25 " "

80.20 to Section Corner

North Between Sect. 28 & 29

18.00 a Creek 20 lks. wide Course W.

31.82 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears N 29 W 14 lks. dist. &
a No. 10 " " " S 58 W 26 " "

44.50 a Creek 70 lks. wide Course S. W.

59.93 a Beech 12 in. dia.

80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which

Lot R9E. 2^d. Mer. Indiana

ch. l^y

a Beech 20 in. dia. bears N 60 E 37 l^y. dist. 4
 a No. 15 " " " S 70 W 44 "
 Over 2nd rate land the first half mile broken timber
 the same good farming land

East On Random between Sec. 21 & 28

10.34 a Brook 5 l^y. wide Course S from a Spring 100 l^y. N.

31.00 a No. 10 " " " S.

61.68 a dry Branch 15 l^y. wide Course S. W.

80.04 Intersected the N. & S. line 2 l^y. N. of post

Over rolling land 2nd rate timber Same the last half
 mile good farming land

West Corrected between Sec. 21 & 28

40.02 Set of. Sec. post, at average dist. from which
 a Sugar 12 in. dia. bears S 77 1/2 W 12 l^y. dist. 4
 a Beech 4 " " " N 10 E 19 " "

80.04 To Section Corner

North Between Sec. 20 & 21.

21.00 a B. Elm 18 in. dia.

40.00 Set of. Sec. post, from which

a Beech 19 in. dia. bears N 11 1/2 W 11 l^y. dist. 4

a No. 16 " " " S 46 1/2 E 32 " "

59.40 a W. Ash 18 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which

a W. Ash 30 in. dia. bears S 80 W 12 l^y. dist. 4

a Beech 5 " " " S 64 E — " "

Over level land 2nd rate timber Same

East On Random between Sec. 16 & 21.

40.00 Set temp. of. Sec. post

79.93 Intersected the N. & S. line 4 l^y. S. of post

Over rolling land 2nd rate timber Same Undergth.
 Since the first 1/2 mile good farming land.

452

T. N. R. E. 2nd. Mer. Indiana

ch. l. l. l.

- West Corrected between Sec. 16 & 21.
 39. 96 Set of Sec. post, at average dist. from which
 a Beech 10 in. dia. bears S 15 $\frac{1}{2}$ E 17 lks. dist. &
 a No. 15 " " " N 51 E 27 " "
 79. 93 to Section Corner Oct. 29th 1806

- North Between Sec. 16 & 17
 18. 30 a Creek 70 lks. wide Course W.
 29. 30 a W. Oak 13 in. dia.
 31. 50 a Creek 80 lks. wide Course S. W. excellent water
 40. 00 Set of Sec. post, from which
 a Beech 12 in. dia. bears N 35 $\frac{1}{2}$ W 23 lks. dist. &
 a No. 15 " " " S 52 E 29 " "
 80. 00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 18 in. dia. bears N 18 E 26 lks. dist. &
 a No. 12 " " " S 34 $\frac{1}{2}$ W 36 " "
 Over broken land 2nd rate soil timber same not
 good farming land to broken -

- East On Random between Sec. 9 & 16
 17. 00 a Creek 150 lks. wide Course S. W. good water
 40. 00 Set temp. of Sec. post
 80. 14 Intersected the N. & S. line 38 lks. S. of post
 Over rolling land 1st rate timber Beech Sugar
 Buckeye Blue Ash Poplar Walnut &c. underg. Spice &c.

- West Corrected between Sec. 9 & 16
 40. 07 Set of Sec. post, at average dist. from which
 a Beech 13 in. dia. bears N 10 W 21 lks. dist. &
 a Sugar 6 " " " S 23 W 17 " "
 80. 14 to Section Corner

- North Between Sec. 8 & 9.
 22. 19 a Poplar 60 in. dia.
 40. 00 Set of Sec. post, from which
 a Beech 8 in. dia. bears S 85 E 11 lks. dist. &

453

T. N. R. E. 2nd Mer. Indiana

ch² 117

a Beech 12 in. dia. bears N 88 W 22 lbs. dist. 4
 56.78 a Brook 6 lbs. wide Course W. excellent water
 58.25 a Brook 6 " " " S.E. good
 61.00 a Beech 13 in. dia.
 61.50 a Brook 3 lbs. wide Course W.
 80.00 Set post Cor. to Sec^s. 4, 5, 8 & 9. from which
 a Beech 12 in. dia. bears N 58 W 34 lbs. dist. 4
 a No. 20 " " " N 36 E 30 " "
 Level land 2nd rate timber Oak Beech & Poplar
 middling farming land.

East On Random between Sec^s. 4 & 9
 26.00 a Creek 150 lbs. wide Course N. E.
 55.70 a No. 105 " " " South
 80.22 Intersected the N. & S. line 25 lbs. S. of post.
 Overbroken land 2nd rate timber Same

West Corrected between Sec^s. 4 & 9
 40.10 Set of. Sec. post, at average dist. from which
 a Beech 13 in. dia. bears S 7 E 42 lbs. dist. 4
 a No. 7 " " " N 2 E 12 " "
 80.20 to Section Corner

North Between Sec^s. 4 & 5.
 20.86 a Beech 14 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 12 in. dia. bears S 19 E 34 lbs. dist. 4
 a No. 12 " " " N 38 W 22 " "
 62.74 a Poplar 20 " "
 77.16 Intersected the N. boundary 244 lbs. W. of post
 Set post Cor. to Sec^s. 4 & 5, from which
 a Gum 24 in. dia. bears S 38 W 16 lbs. dist. 4
 a No. 18 " " " N 81 E 4 " "
 Over level land 2nd rate rather wet in the spring, timber,
 Beech, Gum, Poplar, some undergrowth good farming land

Lot R9 E. 2ⁿ Mer. Indiana

ch. P. 167

Oct. 31st. 1806

North Between Secs. 31 & 32

27.65 a P. Gum 18 mi. dist.

40.00 Set q^r. Sec. post, from which

a W. Oak 18 mi. dist. by S 49 E 35 lks. dist. of

a Beech 12 " " " N 48 1/2 W 12 " "

65.13 a Sugar 18 " " "

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which

a Beech 12 mi. dist. by S 49 E 35 lks. dist. of

a Maple 12 " " " S 87 1/2 W 12 " "

The first 1/2 mile very level - last half rolling
the principal timber is Oak & Beech not
much under 2nd middling farming land

East On Land^m. between Secs. 29 & 3240.00 Set temp^y. q^r. Sec. post

53.00 a creek 50 lks. wide Course N. E.

70.50 a Do. 30 " " " N. nearly dry

78.90 Intersected the N & S. line 13 lks. N. of post
Over rolling 2nd rate land, timber Beech
Poplar Oak, Poplar &c. good farming land

West Connected between Secs. 29 & 32

39.45 Set q^r. Sec. post, at average dist. from which

a Beech 13 mi. dist. by N 1/2 E 49 lks. dist. of

a Do. 15 " " " N 1/2 W 24 " "

78.90 to Sec. Corner.

West Between Secs. 30 & 31

17.00 a Beech 12 mi. dist.

40.00 Set q^r. Sec. post, from which

a Beech 7 mi. dist. by N 8 E 25 lks. dist. of

a Do. 6 " " " S 22 E 6 " "

62.98 a W. Oak 12 " "

79.25 Intersected W. boundary 62 lks. N. of post
Set post Cor. to Secs. 30 & 31, from which

455

4th N 9 E 2^d Mer. Indiana
ch. 1st 1/2

a Beech 10 mi. dist. bear N 18 E 42 1/2 hrs. dist. of
a Do. 12 " " " N 42 E 28 " "
Over rolling land not very good 2^d rate
timber Oak, Beech, Hickory &c. under 1st.
Dogwood, Spice, Sassafras not good for anything

North Between Sec. 29 & 30

16.00 a Creek 100 yds wide Course W.
20.39 a Beech 24 mi. dist.
40.00 Set q^r. Sec. post, from which
a Sugar 12 mi. dist. bear N 26 W 12 hrs. dist. of
a Do. 12 " " " N 55 E 25 " "
61.25 a Beech 5 " "
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 12 mi. dist. bear N 68 E 13 1/2 hrs. dist. of
a Maple 12 " " " N 65 W 27 " "
Over 2^d rate land, timber Beech, Poplar,
Oak &c. good farming land.

East On Land^m. between Sec. 20 & 29

40.00 Set temp^y. q^r. Sec. post
78.86 Intersected the N 1/2 line at the post
Land timber &c. same as on the last mile

West Connected between Sec. 20 & 29. Nov. 1st 1806

39.43 Set q^r. Sec. post at average dist. from which
a Beech 12 mi. dist. bear N 35 W 19 hrs. dist. of
a W. Oak 36 " " " N 21 E 15 " "
78.86 to Sec. Corner Nov. 1st 1806

West Between Sec. 19 & 30

22.47 a Sugar 12 mi. dist.
30.00 a Creek 70 yds. wide Course North
40.00 Set q^r. Sec. post, from which
a Beech 12 mi. dist. bear N 13 E 8 hrs. dist. of
a Sugar 14 " " " N 22 E 14 " "

T4N-179E. 2nd Mer. Indiana

ch. lks
78.93 Intersected the N. boundary 127 lks. S. of post
Set post Cor. to Sec. 19 & 20, from which
a W. Oak 24 in. dia. - bearing S 4 1/2 W 34 lks. dist. of
a W. Oak 24 " " " N 49 E 50 " "
Over rolling 2nd rate land, timber Oak,
Beech, Sugar, Hickory &c. good farming land

North Between Sec. 19 & 20

19.20 a W. Oak 30 in. dia.
40.00 Set q^r. Sec. post from which
a Sugar 18 in. dia. - bearing S 53 1/2 E 16 lks. dist. of
a Beech 10 " " " N 42 W 19 " "
47.50 a Creek 150 lks. wide Course W.
58.84 a Beech 12 in. dia.
70.00 On the E. side of a Creek 150 lks. wide -
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a White Oak 20 in. dia. - bearing N 77 E 9 lks. dist. of
a Beech 12 " " " N 33 W 33 " "
Over rolling 2nd rate land, the principal timber
is Beech, some Oak, Poplar, Ash, Sugar &c.
good farming land.

East On Land 9th between Sec. 17 & 20

2.67 a Creek 150 lks. wide Course S.
16.50 a Do. 150 " " " N W.
57.00 a Do. 150 " " " S. W.
80.38 Intersected the N & S. line 14 lks. S. of post
Land timber &c. same as on the last mile

West Connected between Sec. 17 & 20

40.19 Set q^r. Sec. post at average dist. from which
a Beech 20 in. dia. - bearing S 9 1/2 W 24 lks. dist. of
a Do. 11 " " " N 48 E 25 " "
80.38 to Sec. Corner

West Between Sec. 18 & 19

457

L. N. P. G. E. 2nd Mer. Indiana

- ch. lks
 22.50 a small stream of water Course S.
 26.52 a Beech 13 mi. dist.
 40.00 Set q. Sec. post, from which
 a Sugar 8 mi. dist. by N 73 $\frac{1}{2}$ W 24 lks. dist. of
 a Llo. 10 " " " N 71 E 35 " "
 56.50 a Creek 150 lks. wide Course North
 61.36 a Sugar 9 mi. dist.
 78.23 Intersected W. boundary 94 lks. N. of post
 Set post Cor. to Sec. 18 & 19, from which
 a Beech 12 mi. dist. by N 72 E 26 lks. dist. of
 a Llo. 11 " " " N 50 W 11 " "
 The three first quarters own broken land 2nd.
 rate, timber same, the last $\frac{1}{4}$ 1st rate -
 good farming land

North Between Sec. 17 & 18

- 23.12 a Beech 18 mi. dist.
 40.00 a Beech 8 " " Marked for. q. Sec. Cor.
 63.82 a Llo 9 " "
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 10 mi. dist. by N 27 W 8 lks. dist. of
 a Llo. 5 " " " N 63 E 17 " "
 Broken 2nd rate, timber principally Beech,
 not good farming land

East On Rand. between Sec. 8 & 17

- 40.00 Set temp. q. Sec. post
 68.50 a Creek 20 lks. wide Course S.
 79.85 Intersected the N & S. line 17 lks. S. of post
 Sand timber &c. same as on last mile

West Corrected between Sec. 8 & 17

- 39.92 Set q. Sec. post at average dist. from which
 a Beech 13 mi. dist. by N 79 E 27 lks. dist. of
 a Llo. 12 " " " N 22 W 4 " "
 79.85 to Sec. Corner.

Lat R 9 E. 2nd Mer. Indiana

ch. l. l. l.

November 2nd 1886.

West Between Sec. 7 & 18

19.00 at Beech 10 mi. dist.

40.00 at gr. Sec. post, from which
 at Beech 12 mi. dist. bear S 10 E 4 l. l. dist. of
 a Do. 18 " " " N 11 E 18 " "

48.00 a dry branch 10 l. l. in the C. S.

67.16 a Beech 12 mi. dist.

77.31 intersected N. boundary 13 1/4 l. l. N. of post
 at post Cor. to Sec. 7 & 18, from which
 a Beech 20 mi. dist. bear S 69 E 28 l. l. dist. of
 a Do. 12 " " " N 41 E 25 " "
 Over level 2nd rate land the principal timber
 Beech, some Poplar & Sugar, thick undergrowth
 of Beech & some little Spruce & green birch
 middling farming land.

North Between Sec. 7 & 8

21.02 at Beech 15 mi. dist.

40.00 at gr. Sec. post, from which
 a Beech 20 mi. dist. bear S 26 W 13 l. l. dist. of
 a Do. 15 " " " N 24 E 33 " "

64.25 a W. Oak 5 " "

80.00 at post Cor. to Sec. 5, 6, 7 & 8, for which
 a S. Gum - in. dist. stands for corner
 Sand timber &c. same as on the last mile

East On Cand. betw. Sec. 5 & 8

40.00 at gr. Sec. post temporarily

80.15 intersected N & S line at the post
 Sand timber &c. same as on the last mile

West Connected between Sec. 5 & 8

40.07 at gr. Sec. post at average dist. from which
 a Beech 13 mi. dist. bear N 51 W 5 l. l. dist. of
 a Do. 8 " " " S 22 E 23 " "

459

Tr. N. R. 9 E. 2. Mer. Indiana
ch. 1. 1/2
80.15 to Section Corner.

West Between Sec. 6 & 7

22.14 a Beech 18 mi. dist.

40.00 Set q. Sec. post, from which

a Beech 14 mi. dist. by N 78 E 17 1/2 mi. dist. of

a Do. 10 " " " N 71 W 13 " "

23.81 a Beech 15 " "

68.50 a Dry Creek 20 1/2 mi. wide Course S. W.

71.32 a Creek 20 1/2 mi. wide Course N. W.

76.87 Intersected N. boundary 150 1/2 mi. S. of post

Set post Cor. to Sec. 6 & 7, from which

a B. Walnut 30 mi. dist. by N 49 E 29 1/2 mi. dist. of

a Sugar 15 " " " N 18 E 29 " "

Land broken 2^d rate, timber same (not very
good farming land

North Between Sec. 5 & 6

25.45 a Beech 13 mi. dist.

27.33 a Creek 15 1/2 mi. wide Course N. W.

40.00 Set q. Sec. post, from which

a Beech 12 mi. dist. by N 58 E 31 1/2 mi. dist. of

a Do. 9 " " " N 78 W 5 " "

66.00 a Beech 10 " "

78.31 Intersected the N. boundary 278 1/2 mi. West of
post, Set post Cor. to Sec. 5 & 6, from which

a Beech 12 mi. dist. by N 48 1/2 W 20 1/2 mi. dist. of

a Sugar 10 " " " N 76 E 10 " "

Over Broken 2^d rate land, timber Beech,
Poplar, Gum, Sugar &c. under 1st Spruce.

Middling farming land. Var. 6.10. E.

Surveyed by

William Harris, Dep. J. Surveyor
For James Sisson, D. S.

I hereby Certify that the foregoing transcript of field notes
of Township N^o. 4 North, Range N^o. 9 East, T^h. Mer. Indiana
has been compared with the original notes in this office,
and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 17th. 1842

William Johnston
Sur. Genl.